



KINGMARK



HOME INTELLIGENT HVAC PRODUCTS

www.kingmark.com



HOME INTELLIGENT HVAC SYSTEM

DESIGN & MADE IN KINGMARK



10 BRASS MIXTURE SYSTEM

K-1004



Material: Brass
Size: 1"
Nominal pressure: $\leq 10\text{bar}$
Working temperature: $\leq 100^\circ\text{C}$
Temperature control range: $35-65^\circ\text{C}$

K-1001



K-1002



K-1003



K-1004



K-1005



20 BRASS MANIFOLD

K-2001B



Material: Brass
Size: 1", 2loops to 12loops
Nominal pressure: $\leq 10\text{bar}$
Working temperature: $\leq 100^\circ\text{C}$
Temperature control range: $30-70^\circ\text{C}$

K-2001



K-2001B



K-2002



K-2002B



K-2003B




21 STAINLESS STEEL MANIFOLD

K-2101




Material: 304 S.S.
Size: 1", 2loops to 13loops
Nominal pressure: $\leq 10\text{bar}$
Working temperature: $\leq 100^\circ\text{C}$
Temperature control range: $30-70^\circ\text{C}$


K-2101



K-2102



K-2103



22 BRASS SUPPLY MANIFOLD

K-2201



Material: Brass
Size: 3/4" x 1/2" , 1" x 1/2"
Nominal pressure: ≤ 16bar
Working temperature: ≤ 100°C

K-2201



K-2202



K-2202B



K-2203



K-2203B



K-2204



K-2204B



K-2205B



30 BRASS VALVE

K3002



Material: Brass
Nominal pressure: ≤ 16bar
Working temperature: ≤ 100°C

K-3001



K3002



K-3002B



K-3003



K-3004



K-3005



K-3006



K-3007



K-3101B



Material: Brass
Nominal pressure: $\leq 10\text{bar}$
Working temperature: $\leq 100^\circ\text{C}$

K-3101



K-3102



K-3103



K-3104B



K-3105



K-3106



K-3201



Material: Brass
Nominal pressure: $\leq 10\text{bar}$
Working temperature: $\leq 100^\circ\text{C}$
Temperature control range: $35-60^\circ\text{C}$

K-3202



K-3203



K-3301



Material: Brass
Size: $3/4"$, $1"$, $1 1/4"$
Nominal pressure: $\leq 10\text{bar}$
Working temperature: $\leq 100^\circ\text{C}$

K-3302



K-3401



Material: Brass
Nominal pressure: $\leq 12\text{bar}$
Working temperature: $\leq 100^\circ\text{C}$

K-3401



K-3402



K-3403



K-3501



Material: Brass
Size: 1/2"
Nominal pressure: $\leq 16\text{bar}$
Working temperature: $\leq 100^\circ\text{C}$

K-3501



K-3502



K-3503



K-3504



K-3505



K-3506



K-3507



K-3508



K-3509



K-3510



K-3511



K-3512



K-4001



Central controller
Power source: 110–240V, 24V

K-4002



K-4003



K-4101



Power source: 230V, 24V
Connect size: M30x1.5
Wires: 2 or 4 wires

K-4102



K-4102



K-5201



Pressure & Temperature gauge
pressure: 0–16bar
Temperature: 0–120°C

K-5202



K-5203



K-5204



K-5101



K-5102



K-4201



Connect size: M30x1.5
Temperature regulation scale: 6–28°C

K-4202



K-4203



K-4204



K-5001



Material: Brass
Size: 1/2"
Nominal pressure: ≤ 16bar
Working temperature: ≤ 80°C

K-5001



K-5002



K-5003



K-5004



K-5005



K-5006




We have the worldwide best Advanced Equipment



Introduction

KINGMARK is a well-famed manufacturer which specialized in HVAC products, valves, cocks and fittings for gas, oils, fuels, alcohol, varnish, paints, solvents, emulsions, water, air and many other fluids.

KINGMARK covers industrial, irrigation, plumbing, heating and air conditioning fields with its various product range that also distributed in the industrialized countries among the whole world.



Taizhou Factory: No.570 Kaifa Avenue, Taizhou Economic Development Zone, Zhejiang 318000 China

Yuhuan Factory: Sanhetan Industrial Zone, Yuhuan, Zhejiang 317600 China

post@kingmark.com **www.kingmark.com**

TEL:0086-576-87233791

FAX:0086-576-87226077

